





SUPER-VEE

SMALL LINE SPECIALIST

- Designed for drain lines 1-1/4" to 3" in diameter, like sinks, tubs, and roofstacks
- Slide-Action™ chuck built into grip shield
- Automatically adjusts to different cable diameters
- Quick-change cartridge makes switching cables clean and easy
- Unique Dyna-Thrust™ bearing system for longer tool life
- Holds 50 ft of 1/4" or 5/16", or 35 ft of 3/8" Flexicore® cable
- Flexicore wire rope center cables have unequaled strength yet the right amount of flexibility



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
100230.GEN	Reversible Motor w/ Variable Speed Control	3.2 AMPS	50'	25' x 5/16"

POWER-VEE

HARD-TO-REACH SMALL LINES

- Ideal for tight or awkward spaces
- For sinks, tubs, and laundry drains
- Slide-Action™ chuck built into grip shield
- · Automatically adjusts to different cable diameters
- Quick-change cartridge makes switching cables clean and easy
- Unique Dyna-Thrust™ bearing system for longer tool life
- Holds 50 ft of 1/4" or 5/16", or 35 ft of 3/8" Flexicore® cable
- Flexicore wire rope center cables have unequaled strength yet the right amount of flexibility



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
101965 GEN	Reversible Motor w/ Variable Speed Control	3 2 ΔΜΡς	50'	25' v 5/16"

2

DRAIN-ROOTER®

WORK SITE SMALL LINES

- Designed for drain lines 3" in diameter, like sinks, tubs, and laundry drains
- Variable speed quick-grip™ chuck drives and retrieves cable at up to 16' per minute
- Four-foot guide tube keeps hands and job site clean
- Pneumatic foot pedal controls motor speed
- Quick-change cartridge makes switching cables clean and easy
- Holds 50 ft of 1/4" or 5/16", or 35 ft of 3/8" Flexicore® cable
- Flexicore wire rope center cables have unequaled strength yet the right amount of flexibility



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
105130.GEN	Reversible Motor w/ Variable Speed Control	3.2 AMPS	50'	50' x 5/16"

DRZ-PH-B-O™

WORK SITE SMALL LINES

- Clears clogged sinks, tubs, and laundry drains in 1-1/4" to 3" lines
- Variable speed power cable feed drives and retrieves cable at up to 16' per minute
- Four-foot guide tube keeps hands and job site clean
- Pneumatic foot pedal controls motor speed
- Quick-change cartridge makes switching cables clean and easy
- Holds 50' of 1/4" or 5/16" or 35 ft of 3/8" Flexicore cable
- Flexicore wire rope center cables have unequaled strength yet the right amount of flexibility



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
105940.GEN	Reversible Motor w/ Variable Speed Control	3.2 AMPS	50'	50' x 5/16"

MINI-ROOTER®&MINI-ROOTER XP®

MEDIUM LINES

- Clears 1-1/4" to 3" lines and most 4" lines
- Holds 75 ft. of 3/8" or 50 ft. of 1/2" Flexicore®
- · Open cage removes in seconds for more portability
- Safety slip clutch protects cable and operator
- 1/3 hp motor with momentary contact reverse switch and pneumatic foot pedal
- Reverse switch protects the cable by preventing the operator from running the machine in reverse for more than a few seconds at a time
- · Safety slip clutch reduces chance of cable tangling or injury to operator
- 10' power cord included



ITEM#	MODEL	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
111380.GEN	Mini-Rooter	Thermal Overload Protection	1/3 HP	75′	50' x 1/2"
110480.GEN	Mini-Rooter XP	Thermal Overload Protection	1/3 HP	75′	50' x 1/2"

EASY-ROOTER JR.®

WORK SITE MEDIUM LINES

- A large capacity machine for 2" to 4" lines
- Cage holds 100 ft. of 1/2" Flexicore® cable
- · Open cage lets you see cable condition after each rental
- Patented Quick-Grip™ chuck tightens firmly on cable with just a quarter turn
- Pneumatic foot pedal and ground fault interrupter for safety
- Safety slip clutch protects cable and operator
- · Powder coated steel frame with folding handle and ten inch heavy duty wheels
- 1/3 hp motor with thermal overload protection
- Momentary contact reverse switch



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
103070.GEN	Capacitor Start	1/3 HP	75'	75' x 1/2"

EASY-ROOTER®

CONTRACTOR LARGE LINES

- Clear tree roots and other difficult obstructions in 3" to 10" drain lines
- Cage holds 100 feet of 3/4" or 5/8" Flexicore cable
- Quick-Grip™ chuck secures the cable during operation
- Rugged powder coated steel frame
- Special "roll bars" to protect the motor
- Extra-long folding handle quickly locks in place
- Rolls smoothly on big 10" ball bearing wheels
- 1/3 hp capacitor motor with thermal overload protection
- Momentary contact reverse switch to protect the cable
- · Safety features include: Air actuated foot pedal, ground fault circuit interrupter, safety slip clutch, and momentary contact reverse switch



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
110250.GEN	Capacitor & Thermal Overload Protection	1/3 HP	100'	100' x 5/8"

SPEEDROOTER 92®

- · Clears 3" through 10" drains up to 100 ft. down the line
- Drum holds 100 ft. of 3/4" or 5/8" Flexicore® cable
- Inner drum cage and Self-aligning Flexitube™ spring distributor tube reduces cable tangling
- Power Cable Feed drives and retrieves cable at up to 20 ft per minute
- · Features stair climbers, 10" ball bearing tires, truck loading wheel and tool box
- 1/2 hp motor strong enough to drive cable 200 ft. down the line
- · Adjustable height handle can be 3" taller or more compact
- · Flexicore wire rope center cables have unequaled strength yet the right amount of flexibility



ITEM#	MOTOR	HORSEPOWER	MAX RECOMMENDED DISTANCE	INCLUDED CABLE
108640.GEN	Capacitor & Ground Fault Circuit	1/2 HP	200'	100' x 5/8"
108680.GEN	Capacitor & Ground Fault Circuit	1/2 HP	200'	100' x 3/4"

SMALL IO LARGE

JM-1450

ELECTRIC WATER JETTER

Clear grease, sand, and ice with high pressure water

 Vibra-Pulse® on demand to help the hose slide around tight bends in small lines - this allows the flow rate to remain the same whether it is on or off

 Compact and portable machine easily fits in the limited storage space of contractor's truck - hose reel is detachable saving even more space

 Thermal relief valve to protect the pump from heat damage, along with a back flow check valve and inlet filter

 Convenient slide-out handle and 8" semipneumatic wheels make it easy to roll the machine to and from the job site



ITEM#	POWER	PUMP	PRESSURE	FLOW	REEL CAPACITY
113240.GEN	1-1/2HP 13A with GFCI	Triplex with Vibra-Pulse®	1,500 PSI	1.7 GPM	150' x 1/4" Hose

WI-FI GEN-EYE POD

VIDEO PIPE INSPECTION SYSTEM

- Combines camera, reel, and monitor in an all-in-one package
- Wi-Fi lets you use your own tablet or smartphone to record the inspection and send it to your customers on the spot or back to the shop
- 7" LCD color monitor with LED dimmer control
- Monitor mounted on flexible gooseneck that swivels to give you the best viewing angle
- Self-leveling color camera automatically keeps the picture right-side-up
- AC/DC power cords included
- 512 Hz transmitter for easy camera location
- Sunshield on monitor for easy viewing

• Rugged	frame and reel with dra els on full-size POD to roll e	g brake and reel l		4	
ITEM#	POWER	LARGE LINE CAPACITY	SMALL LINE CAPACITY	LARGE REEL CAPACITY	SMALL REEL CAPACITY
117840.GEN	110V/60Hz AC, 12 VDC	3" - 10"	2" - 4"	200'	125' or 175'

KINETIC WATER RAM

SHOCK ACTION FOR CLOGGED DRAINS

- · Clear clogged drains with shock action
- Pump it up, put in drain, and snap the trigger
- Built-in air compressor easily pumps up to desired pressure
- Shock wave breaks up stoppage without harming pipes
- Effective in clearing lines with tight bends
- Carrying case included for easy transportation
- · All-metal unit includes built-in pump and pressure gauge
- When used effectively, reduces "wear and tear" on cables and cutters not being used unnecessarily
- Lighter weight and cleaner than cable drain cleaners

ITEM#	MOTOR	CYLINDER	APPLICATION	VALVE	PRESSURE
115020.GEN	Built-In Pneumatic	16-Gauge Plated	1-1/4" - 4"	Schraeder Valve	Up to 600 lbs

TELETUBE CLOSET AUGER

TELESCOPED AUGER

- · 6' closet auger lets you clear stoppages just beyond the toilet bowl
- Extra 3' 1 meter telescoped inside a guide tube
- 1-1/8" diameter outer steel tube
- Hexagonal guide tube
- · Vinyl bowl guard
- Vinyl grip and turning handles
- "Grip clip" for securing the cable



SNAKE-OIL PLUS

ITEM#	DESCRIPTION
440110.GEN	1 Quart - Protects drain cables and machines (for use with any General Pipe Machine)
440130.GEN	1 Gallon - Protects drain cables and machines (for use with any General Pipe Machine)



ITEM#	DESCRIPTION
120070.GEN	Cable, Flexicore Cable, 5/16" x 25' with EL Basin Head (100230.GEN, 105130.GEN, 101965.GEN, 150720.GEN)
120080.GEN	Cable, Flexicore Cable, 5/16" x 50' with EL Basin Head (100230.GEN, 105130.GEN, 101965.GEN, 150720.GEN, 111380.GEN)
121070.GEN	Cable, Flexicore Cable, 1/2" x 50' with Male & Female Connector (111380.GEN, 103070.GEN, 108640.GEN)
121080.GEN	Cable, Flexicore Cable, 1/2" x 75' with Male & Female Connector (110250.GEN, 108640.GEN)
122040.GEN	Cable, Flexicore Cable, 5/8" x 100' with Male & Female Connectors (110250.GEN, 108640.GEN)
122060.GEN	Cable, 3/4" x 50' M x F Connectors (108680.GEN)
122080.GEN	Cable, 3/4" x 100' M x F Connectors (108680.GEN)

CUTTER SET

COTTERCOL		
	ITEM#	DESCRIPTION
	130010.GEN	Cutter Set, Hanyletric Set - Includes: Arrow Head, Flexible Arrow Head, 1-1/4" Side Cutter Blade, Boring Gimlet, Down Head Boring Gimlet
	130050.GEN	Cutter Set - Includes: Arrow Head, 1-1/2" U-Cutter, 2" Side Cutter Blade, Boring Gimlet (Fits Mini-Rooter #111380)
	130060.GEN	Cutter Set - Includes: Arrow Head, 1-1/2" U-Cutter, 2" U-Cutter, Small Retrieving Tool (Fits Easy-Rooter Jr. #103070)
	130080.GEN	Cutter Set - Includes: Spear Head, 2" U-Cutter, 3" Heavy-Duty Side Cutter, 3" Heavy-Duty Saw Blade, Large Retrieving Tool (Fits Easy-Rooter #110250)